



ALL INDIA INSTITUTE OF MEDICAL SCIENCES, DEOGHAR

अखिल भारतीय आयुर्विज्ञान संस्थान, देवघर

INSTITUTE OF NATIONAL IMPORTANCE UNDER MINISTRY OF HEALTH AND FAMILY WELFARE

(स्वास्थ्य और परिवार कल्याण मंत्रालय के अंतर्गत राष्ट्रीय महत्व की संस्थान)

P.T.I., Daburgram, Jasidih, Deoghar, (Jharkhand) - 814142

पी.टी.आई., डाबरग्राम, जसीडीह, देवघर, (झारखंड) - ८१४१४२

आरोग्यम् परमं सुखम्

Invitation of quotation

for

Audiometry booth for ENT OPD

at AIIMS Deoghar

Reference No.: AIIMS/Deoghar/ENT/ Audiometry booth /2021-22/25

Date of Issue: 15th January, 2021

Last Date of Submission: 25th January, 2021 at 04:00 PM.

All India Institute of Medical Sciences, Deoghar

P.T.I. campus, Daburgram, Jasidih, Deoghar: 814142, Jharkhand

Email: office.aiimsdeoghar@gmail.com

Khushant Raza
15/01/2021

Invitation of quotation for Audiometry booth for ENT OPD at AIIMS Deoghar.

Sealed Quotations are invited on behalf AIIMS, Deoghar for Audiometry booth for ENT OPD (**Annexure-I**) required for the Institute as per terms & conditions mentioned below. The filled quotations along with all the required document must reach in the office of the undersigned on or before **25.01.2020 at 04:00 PM**. The **Envelope containing the quotation** must be sealed and **super scribed as under:-**

**“QUOTATION FOR AUDIOMETRY BOOTH FOR ENT OPD AT AIIMS DEOGHAR
REFENRENCE NO.: AIIMS/DEOGHAR/ENT/ AUDIOMETRY BOOTH /2021-22/25
DUE ON 25.01.2020 AT 04.00 PM”**

1. Terms & Conditions:

- a) The quotations received **after this deadline or unsealed shall not be entertained** under any circumstances whatsoever. In case of postal delay this Institute will not be responsible. The offer submitted by Fax / email shall not be considered and no correspondence will be entertained in this matter.
- b) Quotations must be in the **enclosed prescribed Performa (Annexure -2) on the letter head of the firm duly signed** by the Proprietor/ Partner/ Director or their authorized representative, In case of signing of quotation by the authorized representative letter of authorization must be attached with the quotation.
- c) The supplier should supply all the items.
- d) Rates must be quoted in Indian rupees.
- e) Rates must be inclusive of all charges (including Freight charges, Insurance, installation, taxes etc.).
- f) **No overwriting or cutting** is permitted in the rate. If found, the quotation shall be summarily rejected.
- g) The **rates quoted must be valid for 90 days minimum from the date of opening of the quotation** and silence of any tendered on this issue shall be treated as agreed with this condition.
- h) **Total cost/amount will be taken in consideration for L1.** Becoming L1 will not be the criteria for awarding of purchase order unless the rates are reasonable & justified.
- i) The firm / agency may satisfy the following conditions and **attach self-attested copy of the same with the quotation:**
 - The firm shall have valid GST / Other taxes and IT PAN.
 - The firm should not be black listed by any Government agency/Department.
 - Purchase order of any government institute for similar work.
- j) Quotations qualified by such vague and indefinite expressions such as “subject to prior confirmation”, “subject to immediate acceptance” etc. will be treated as

Khushid Bora
15/01/2021

vague offers and it will be rejected accordingly. Any conditional quotation shall be rejected summarily.

- k) **Delivery Period** – within 20 days from Purchase order.
- l) **Liquidated Damage**: - If the supplier fails to deliver the material on or before the stipulated date, then a penalty at the rate of 0.5 % per week of the total order value shall be levied subject to maximum of 10% of the total order value.
- m) **Payment Terms**: Payment will be only after satisfactorily delivery / commissioning of material and after inspection by the AIIMS Deoghar.
- n) 5% amount from bill will be deducted as security deposit. It will be refunded within three months after satisfactory performance report submitted by the nominated person/ concern Department, for the equipments/ work.
- o) **Disputes**: -In the event of any dispute or disagreement arising between the contractors and any other department of AIIMS Deoghar with regards to the interpretation of “Terms & Conditions” of this inquiry, the same shall be referred to arbitrator appointed by The Executive Director, AIIMS, Deoghar, whose decision will be final and binding upon the contractor.
- p) AIIMS, Deoghar reserves the right to increase or decrease quantity. Decision of Quantity of items in the AIIMS, Deoghar will be final in this regard.
- q) AIIMS, Deoghar reserves the right to reject any quotation or part or the whole of inviting quotation process without assigning any reason. Decision of The Executive Director, AIIMS, Deoghar, will be final in this regard.
- r) The envelope containing quotation should be sealed with WAX/TAPE from both sides should be send to the undersigned. No quotation will be accepted if received after due date.

Khushi Rana
15/01/2021

Assistant Procurement Officer

AIIMS Deoghar

PTI Campus, Daburgram,

Jasidih, Deoghar,

Jharkhand -814142

Encl.: Annexure 1 (Specification)

Annexure 2 (Format of price bid)

Reference no: AIIMS/Deoghar/ENT/ AUDIOMETRY BOOTH /2021-22/25

Sr. no.	Instruments/ Equipments	Specifications	QTY.
1.	Audiometric Booth	<ul style="list-style-type: none"> • Enclosure Size: Outer sizes – 4' x 5'8" x 7' • Construction: Modular & Noise shielding construction, the panel construction can be dismantled, relocated to another area and re-erected. • Panel Construction: <ol style="list-style-type: none"> 1. 1.5 mm (16 SWG) CRCA sheet outside & perforated GI sheet of 0.8 mm thick inside. 2. The acoustic material filled in between both the sheets of 100 mm thickness. 3. Material used should be flame proof. • Acoustic Material: <ol style="list-style-type: none"> 1. 100 mm thick, Rock Wool covered with fiber tissue paper fire resistive. 2. One anti-donning layer of 06 mm thick closed cell foam in between Rockwool and outer sheet. • Polymeric Membrane: <ol style="list-style-type: none"> 1. 4 mm thick, sound damping material having high density (2000 kg/m³), asphalt-free, offer high acoustic insulation where high sound proofing against airborne noise required. 2. Its special characteristics to reduce insulation leaks very considerably, owing to the resonance frequency and coincidence frequency. 3. This permits increasing the sound proofing throughout the whole frequency spectrum. • Door: Hinge type, the Door Gaps properly shielded by Gasket. • Vision Panels: <ol style="list-style-type: none"> 1. Provide sound proof glass vision panel for visibility from outside of Size 650 x 400 mm. 2. Sound proof glass made out of 06 mm, 02 no glass having 15 mm gap in between both glass filled with Argon gas. 3. Glass fitted with rubber gasket to block noise leakage. • Electrical Arrangement: <ol style="list-style-type: none"> 1. Provide electrical wiring 7 switch board inside the Audiometric Booth. 2. Illumination 2x 15 W CFL provided. 3. 3 Nos single phase, 10 Amp power socket with switch, connector box/ jack panel fixed in Booth. • Floor: Floor area is covered with PVC flooring. • Air Ventilation: Audiometric booth roof top 	01

Reference no:

Date:

[Letter head of firm]**PRICE BID FORM**

To,
Assistant Procurement Officer,
AIIMS, Deoghar.
Dear Sir,

I/We am/are submitting the quotation for reference
"QUOTATION FOR AUDIOMETRY BOOTH FOR ENT OPD AT AIIMS DEOGHAR
REFENRENCE NO.: **Reference no:** AIIMS/DEOGHAR/ENT/ AUDIOMETRY
BOOTH /2021-22/25 DUE ON 25.01.2020 AT 04.00 PM" for ENT OPD at AIIMS
Deoghar.

1. I/We have thoroughly examined, understood and accepted terms & conditions given in the enquiry document, failing which my quotation will be rejected out rightly.
2. I/We hereby offer to supply at the following rates:

S. no.	Name of Item with specification	Qty	Quoted make	Unit price	GST	Total cost
1						
2						
		Total cost/ amount				
Total cost/amount (in words)						

Note:-

- The bidder must quoted their quotation only in above said format on the letter of firm otherwise quotation will be REJECTED.
- Catalog must be attached with quotation for technical evaluation.

Date:

(Name):

Place :

Name of Firm/Company/Agency:

GSTIN No.:

Phone No:

Email:

(Signature of Authorized Person) _____

Seal: _____

Khushboo Rana
15/01/2024