

ALL INDIA INSTITUTE OF MEDICAL SCIENCES, DEOGHAR अखिल भारतीय आयुर्विज्ञान संस्थान, देवघर

INSTITUTE OF NATIONAL IMPORTANCE UNDER MINISTRY OF HEALTH AND FAMILY WELFARE (स्वास्थ्य और परिवार कल्याण मंत्रालय के अंतर्गत राष्ट्रीय महत्व की संस्थान) P.T.I., Daburgram, Jasidih, Deoghar, (Jharkhand) - 814142 पी.टी.आई., डाबरग्राम, जसीडीह, देवघर, (झारखण्ड) - ८१४१४२

> Invitation of quotation for Instruments & Items for General Medicine OPD at AIIMS Deoghar

Reference No.: AIIMS/Deoghar/Gen. Medicine/ Instruments & Items/2021-22/09 Date of Issue: 28th October, 2022 Last Date of Submission: 17th November, 2022 at 05:00 PM.

All India Institute of Medical Sciences, Deoghar P.T.I. campus, Daburgram, Jasidih, Deoghar: 814142, Jharkhand Email: procurement@aiimsdeoghar.edu.in

Invitation of quotation for Instruments and Items for General Medicine OPD at AIIMS Deoghar.

Sealed Quotations are invited on behalf AIIMS, Deoghar for Instruments and Items for Department of Medicine *(Annexure-I)* required for the Institute as per terms & conditions mentioned below. The filled quotations along with the entire required document must reach in the office of the undersigned on or before **17.11.2022 at 05:00 PM**. The **Envelope containing the quotation** must be sealed and **super scribed as under**:-

"QUOTATION FOR INSTRUMENTS AND ITEMS FOR GENERAL MEDICINE OPD AT AIIMS DEOGHAR REFENRENCE NO.: AIIMS/Deoghar/Gen. Medicine OPD/ Instruments & Items/2021-22/09 **DUE ON 17.11.2022 AT 05.00 PM**"

The Quotation should be send to the address:-

Assistant Procurement Officer AIIMS Deoghar PTI Campus, Daburgram, Jasidih, Deoghar, Jharkhand -814142.

1. Terms & Conditions:

- a) The quotations received **after this deadline or unsealed shall not be entertained** under any circumstances whatsoever. In case of postal delay this Institute will not be responsible. The offer submitted by Fax / email shall not be considered and no correspondence will be entertained in this matter.
- b) Quotations must be in the **enclosed prescribed Performa** *(Annexure -2)* **on the letter head of the firm duly signed** by the Proprietor/ Partner/ Director or their authorized representative, In case of signing of quotation by the authorized representative letter of authorization must be attached with the quotation.
- c) The supplier should supply all the items.
- d) Rates must be quoted in Indian rupees.
- e) Rates must be inclusive of all charges (including Freight charges, Insurance, installation, taxes etc.).
- f) **No overwriting or cutting** is permitted in the rate. If found, the quotation shall be summarily rejected.
- g) The **rates quoted must be valid for 90 days minimum from the date of opening of the quotation** and silence of any tendered on this issue shall be treated as agreed with this condition.
- h) **Total cost/amount will be taken in consideration for L1.** Becoming L1 will not be the criteria for awarding of purchase order unless the rates are reasonable & justified.
- i) The firm / agency may satisfy the following conditions and **attach self-attested copy of the same with the quotation**:
 - The firm shall have valid GST / Other taxes and IT PAN.
 - The firm should not be black listed by any Government agency/Department.

- Purchase order of any government institute for similar Instrument & items/Undertaking of supplying the instrument/items to hospital or organization not below these rates on Rs 10/- stamp paper.
- j) Quotations qualified by such vague and indefinite expressions such as "subject to prior confirmation", "subject to immediate acceptance" etc. will be treated as vague offers and it will be rejected accordingly. Any conditional quotation shall be rejected summarily.
- k) **Delivery Period** within **15 days** from Purchase order.
- Liquidated Damage: If the supplier fails to deliver the material on or before the stipulated date, then a penalty at the rate of 0.5 % per week of the total order value shall be levied subject to maximum of 10% of the total order value.
- m) **Payment Terms**: Payment will be only after satisfactorily delivery / commissioning of material and after inspection by the AIIMS Deoghar.
- n) **5% amount from bill will be deducted as security deposit**. It will be refunded after satisfactory performance report submitted by the nominated person/ concern Department and within three months after the warranty period of any equipment.
- o) **Disputes:** -In the event of any dispute or disagreement arising between the contractors and any other department of AIIMS Deoghar with regards to the interpretation of "Terms & Conditions" of this inquiry, the same shall be referred to arbitrator appointed by The Executive Director, AIIMS, Deoghar, whose decision will be final and binding upon the contractor.
- p) AIIMS, Deoghar reserves the right to increase or decrease quantity. Decision of Quantity of items in the AIIMS, Deoghar will be final in this regard.
- q) AIIMS, Deoghar reserves the right to reject any quotation or part or the whole of inviting quotation process without assigning any reason. Decision of The Executive Director, AIIMS, Deoghar, will be final in this regard.
- r) No quotation will be accepted if received after due date. The envelope containing quotation should be sealed with WAX/TAPE on both sides.
- s) Procurement will be as per rule GFR-155 of Government of India.

Encl.: Annexure 1 (Specification)

Annexure 2 (Format of price bid)

(Annexure - 1)

No Instruments 1 Queen Square Knee Hammer • Should have new, softer silicone bumper encloses the chrome-plated brass disc and is precisely weighted to induce myotatic responses. 5 pc • The Handle should be Long, flexible nylon-plastic handle with tapered point is suited for eliciting plantar and abdominal responses 5 pc • Grip A removable grip offers increased control • Tip Cover A bright red tip cover can be used for visual field tests 8 2 Tuning Fork 256 Hz GENERAL FEATURES 3 pc • Two pronged metal fork used as an acoustic resonator in medical purposes, Yes • Clinical Purpose, To determine certain types of hearing loss 3 pc • Two Prongs viz two legs of U shaped body with same dimensions, Yes • Two Prongs viz two legs of U shaped body with same dimensions, Yes • The stem shall be strong and capable of being easily and firmly held by hand for use, Yes • The stem shall be strong and capable of being easily and firmly held by hand for use, Yes • Material (Non-corrosive and Non-magnetic), Electroplated Steel • Shape of the prong i elg of U shaped body, Round • Prong (leg), (round shaped), dia (mm), 5 • Length of Prongs (each), (mm), 90 • Space between the prongs at the end (mm), 14 • Stem length (Bar attached to the U shaped body) (mm), 30 • Foot piece available, Yes • Frequency (Hz), 256 • Matterial (Non	1 Queen Square Knee Hammer • Should have new, softer silicone bumper encloses the chrome-plated brass disc and is precisely weighted to induce myotatic responses. 5 pc • The Handle should be Long, flexible nylon-plastic handle with tapered point is suited for eliciting plantar and abdominal responses 5 pc • The Handle should be Long, flexible nylon-plastic handle with tapered point is suited for eliciting plantar and abdominal responses 5 pc • The Yaremovable grip offers increased control • Tip Cover A bright red tip cover can be used for visual field tests • Warranty Lifetime 2 Tuning Fork 256 Hz GENERAL FEATURES 3 pc • Two pronged metal fork used as an acoustic resonator in medical purpose, Yes 3 pc • Utility, Pediatrics and adults • TECHNICAL CHARACTERISTICS 3 pc • Two Prongs viz two legs of U shaped body with same dimensions, Yes • Stem is the bar attached to the U bend at the bottom that forms the integral part of the body, Yes • The stem shall be strong and capable of being easily and firmly held by hand for use, Yes • Tuning fork shall have smooth surface, Yes • Wibrates sinusoidally to generate pure tone, Yes • Material (Non-corrosive and Non-magnetic), Electroplated Steel • Shape of the prong i elg of U shaped body, Round • Prong (leg), (round shaped), dia (mm), 5 • Length of Prongs (each), (mm), 90 • Space between the prongs at the end (mm), 14 <t< th=""><th>Sr.</th><th>Name of</th><th>Specification</th><th>Qty.</th></t<>	Sr.	Name of	Specification	Qty.
HzTwo pronged metal fork used as an acoustic resonator in medical purposes, YesClinical Purpose, To determine certain types of hearing lossUtility, Pediatrics and adultsTECHNICAL CHARACTERISTICSTwo Prongs viz two legs of U shaped body with same dimensions, YesStem is the bar attached to the U bend at the bottom that forms the integral part of the body, YesThe stem shall be strong and capable of being easily and firmly held by hand for use, YesVibrates sinusoidally to generate pure tone, YesWaterial (Non-corrosive and Non-magnetic), Electroplated SteelShape of the prong i e leg of U shaped body, RoundProng (leg), (round shaped), dia (mm), 5Length of Prongs (each), (mm), 90Space between the prongs at the end (mm), 14Stem length (Bar attached to the U shaped body) (mm), 30Overall Length of Tuning Fork (mm), 150Weight of Tuning Fork (gm), 95Frequency (Hz), 256MARKINGEach tuning fork shall be marked at a suitable place with the following: a) Manufacturer's name and trade-mark, b) Frequency, and c) Serial number and code number or year of manufacture, Yes	HzTwo pronged metal fork used as an acoustic resonator in medical purposes, YesClinical Purpose, To determine certain types of hearing lossUtility, Pediatrics and adultsTECHNICAL CHARACTERISTICSTwo Prongs viz two legs of U shaped body with same dimensions, YesStem is the bar attached to the U bend at the bottom that forms the integral part of the body, YesThe stem shall be strong and capable of being easily and firmly held by hand for use, YesUibrates sinusoidally to generate pure tone, YesWibrates sinusoidally to generate pure tone, YesMaterial (Non-corrosive and Non-magnetic), Electroplated SteelShape of the prong i e leg of U shaped body, RoundProng (leg), (round shaped), dia (mm), 5Length of Prongs (each), (mm), 90Space between the prongs at the end (mm), 14Stem length (Bar attached to the U shaped body) (mm), 30Foot piece available, YesOverall Length of Tuning Fork (mm), 150Weight of Tuning Fork (gm), 95Frequency (Hz), 256MARKINGEach tuning fork shall be marked at a suitable place with the following: a) Manufacturer's name and trade-mark, b) Frequency, and c) Serial number and code number or year of manufacture, Yes		Queen Square	 chrome-plated brass disc and is precisely weighted to induce myotatic responses. The Handle should be Long, flexible nylon-plastic handle with tapered point is suited for eliciting plantar and abdominal responses Grip A removable grip offers increased control Tip Cover A bright red tip cover can be used for visual field tests 	5 pc
Vibrates sinusoidally to generate pure tone, Yes		2	_	 Two pronged metal fork used as an acoustic resonator in medical purposes, Yes Clinical Purpose, To determine certain types of hearing loss Utility, Pediatrics and adults TECHNICAL CHARACTERISTICS Two Prongs viz two legs of U shaped body with same dimensions, Yes Stem is the bar attached to the U bend at the bottom that forms the integral part of the body, Yes The stem shall be strong and capable of being easily and firmly held by hand for use, Yes Tuning fork shall have smooth surface, Yes Vibrates sinusoidally to generate pure tone, Yes Material (Non-corrosive and Non-magnetic), Electroplated Steel Shape of the prong i e leg of U shaped body, Round Prong (leg), (round shaped), dia (mm), 5 Length of Prongs (each), (mm), 90 Space between the prongs at the end (mm), 14 Stem length (Bar attached to the U shaped body) (mm), 30 Foot piece available, Yes Overall Length of Tuning Fork (gm), 95 Frequency (Hz), 256 MARKING Each tuning fork shall be marked at a suitable place with the following: a) Manufacturer's name and trade-mark, b) Frequency, and c) Serial number and code number or year of manufacture, Yes CERTIFICATIONS & REPORTS 	3 pc

Reference no: AIIMS/Deoghar/Gen. Medicine OPD/ Instruments & Items/2021-22/09

		Product certification, ISO	
		 Submission of all the certifications and test reports to the buyer clong with gunpling. Yes 	
		the buyer along with supplies, Yes	
		WARRANTY	
		• Warranty (yrs), 1	
		Replaceable guarantee in case of breakage, yes	-
3	Tuning Fork 512	TECHNICAL CHARACTERISTICS	3 pc
	Hz	• Two Prongs with two legs of U shaped body with same	
		dimensions, Yes	
		• Stem is the bar attached to the U bend at the bottom	
		that forms the integral part of the body, Yes	
		• The stem shall be strong and capable of being easily and	
		firmly held by hand for use, Yes	
		 Tuning fork shall have smooth surface, Yes 	
		 Vibrates sinusoidally to generate pure tone, Yes 	
		 Material (Non-corrosive and Non-magnetic), 	
		Electroplated Steel	
		 Shape of the prong i e leg of U shaped body, Square 	
		 Prong (leg), (round shaped), dia (mm), 4 	
		 Length of Prongs (each), (mm), 100 	
		• Space between the prongs at the end (mm), 14	
		• Stem length (Bar attached to the U shaped body) (mm),	
		60	
		Foot piece available, Yes	
		 Overall Length of Tuning Fork (mm), 155 	
		• Weight of Tuning Fork (gm), 95	
		• Frequency (Hz), 512	
		• Each tuning fork shall be marked at a suitable place with	
		the following: a) Manufacturer's name and trade-mark,	
		b) Frequency, and c) Serial number and code number or	
		year of manufacture, Yes	
		• Vibrates sinusoidally to generate pure tone, Yes	
		WARRANTY	
		• Warranty (yrs), 1	
		• Replaceable guarantee in case of breakage, yes	
4	Tuning Fork 128	TECHNICAL CHARACTERISTICS	3 pc
	Hz	• Two Prongs with two legs of U shaped body with same	
		dimensions Yes	
		• Stem is the bar attached to the U bend at the bottom	
		that forms the integral part of the body Yes	
		• The stem shall be strong and capable of being easily and	
		firmly held by hand for use Yes	
		 Tuning fork shall have smooth surface Yes 	
		 Vibrates sinusoidally to generate pure tone: Yes 	
		 Material (Non-corrosive and Non- 	
		magnetic)Electroplated Steel	
		• Shape of the prong i e leg of U shaped body Round	
		Prong (leg), (round shaped)	
		Foot piece available Yes	
		• Frequency (Hz)128	
		MARKING	
		• Each tuning fork shall be marked at a suitable place with	
		 Lach tuning fork shall be marked at a suitable place with the following: a) Manufacturer's name and trade-mark, b) Frequency, and c) Serial number and code number or year of manufacture Yes 	

		 CERTIFICATIONS & REPORTS Vibrates sinusoidally to generate pure tone Yes WARRANTY Warranty (Yrs)1 Replaceable Guarantee in Case of Breakage: Yes 	
5	Tongue Depressor Wooden	 Non-Sterile Standard Wooden Tongue Depressor 100 Piece General Sales Package 100 pc B Color Brown Dimensions Width 9 cm Height 4 cm Depth 16 cm Weight 250 g 	2 sets (Each set having 100 pieces)
6	Measuring Tape	 Soft Tape Length 1.5 m Fiber Material Colour: Yellow/ Blue 	10 pc
7	Semmes Weinstein Monofilament 10g	 Monofilament (10 gms/5.07) Available in a pack of 20 Monofilaments Multiple uses. 	24 pkt
8	Oropharyngeal Airway	Material: PVC Sizes: 3,4,5	5 of each size
9	Nasopharygeal Airway	Material: PVC Sizes: 3,4, 5	5 of each size

Date:

[Letter head of firm]

PRICE BID FORM

To, Assistant Procurement Officer, AIIMS, Deoghar. Dear Sir,

I/We am/are submitting the quotation for reference "QUOTATION FOR INSTRUMENTS AND ITEMS FOR GENERAL MEDICINE OPD AT AIIMS DEOGHAR REFENRENCE NO.: *Reference no:* AIIMS/Deoghar/Gen. Medicine OPD/ Instruments & Items/2021-22/09 **DUE ON 17.11.2022 AT 05.00 PM" for** General Medicine OPD at AIIMS Deoghar.

- 1. I/We have thoroughly examined, understood and accepted terms & conditions given in the enquiry document, failing which my quotation will be rejected out rightly.
- 2. I/We hereby offer to supply at the following rates:

S. no.	Name of Item with specification	Quoted Make	Unit Price	GST %	Unit price With GST	Total Qty	Total cost
1							
			Total cost/ amount				
	Total cost/amount (in words)						

Note:-

- The bidder must quoted their quotation only in above said format on the letter of firm otherwise quotation will be REJECTED.
- Catalog must be attached with quotation for technical evaluation.

Date:
(Name):
Place:
Name of Firm/Company/Agency:
GSTIN No.:
Phone No:
Email:
(Signature of Authorized Person)
Seal: