



आरोग्यम् परमं सुखम्

# ALL INDIA INSTITUTE OF MEDICAL SCIENCES, DEOGHAR

अखिल भारतीय आयुर्विज्ञान संस्थान, देवघर

INSTITUTE OF NATIONAL IMPORTANCE UNDER MINISTRY OF HEALTH AND FAMILY WELFARE  
स्वास्थ्य और परिवार कल्याण मंत्रालय के अधीन राष्ट्रीय महत्व का संस्थान

Devipur campus, Ramsagar, Deoghar, (Jharkhand)-814152  
देवीपुर परिसर, रामसागर, देवघर, झारखण्ड —814152

Invitation of quotation  
For  
Video Recorder Camera  
For  
Dept. of IT, AIIMS Deoghar

Reference No.: AIIMS/Deo/IT/2024-25/60

Date of Issue: 19/06/2025

Last Date of Submission: 03/07/2025 at 05:00PM.

All India Institute of Medical Sciences, Deoghar

Devipur campus, Ramsagar, Deoghar: 814152, Jharkhand

Email: [lpc@aiimsdeoghar.edu.in](mailto:lpc@aiimsdeoghar.edu.in)

## **Invitation of quotation for Video Recorder Camera for Dept. of IT at AIIMS Deoghar**

**Sealed Quotations** are invited on behalf of AIIMS, Deoghar for **Video Recorder Camera** required for the Institute as per terms & conditions mentioned below. The filled quotations along with the entire required document must reach in the office of the undersigned on or before **03/07/2025 at 05:00 PM**. The **Envelope containing the quotation** must be sealed and **super scribed as under**: -

“QUOTATION FOR **VIDEO RECORDER CAMERA** AT AIIMS DEOGHAR FOR REFERENCE NO.: AIIMS/Deo/IT/2024-25/60 **DUE ON 03/07/2025 at 05.00 PM**”

**The Quotation should be send to the address: -**

LPC Chairperson  
AIIMS Deoghar Devipur Campus,  
Academic Block, LPC Office  
Dept. of Anatomy, First Floor  
Ramsagar, Deoghar, Jharkhand-814152.

### **1. Terms & Conditions:**

- a) The quotations received **after this deadline or unsealed shall not be entertained** under any circumstances whatsoever. In case of postal delay this Institute will not be responsible. The offer submitted by Fax / email shall not be considered and no correspondence will be entertained in this matter.
- b) Quotations must be in the **enclosed prescribed Performa (Annexure -2) on the letter head of the firm duly signed** by the Proprietor/ Partner/ Director or their authorized representative, in case of signing of quotation by the authorized representative letter of authorization must be attached with the quotation.
- c) The supplier should supply all the equipments/items along with its accessories.
- d) Rates must be quoted in Indian rupees.
- e) Rates must be inclusive of all charges (including Freight charges, Insurance, installation, taxes etc.).
- f) **No overwriting or cutting** is permitted in the rate. If found, the quotation shall be summarily rejected.
- g) The **rates quoted must be valid for 180 days minimum from the date of opening of the quotation** and silence of any tendered on this issue shall be treated as agreed with this condition.
- h) **Total cost/amount will be taken in consideration for L1**. Becoming L1 will not be the criteria for awarding of purchase order unless the rates are reasonable & justified.
- i) The firm/agency may satisfy the following conditions and **attach self-attested copy of the same with the quotation**:
  - The firm shall have valid GST/Other taxes and IT PAN.
  - The firm should not be blacklisted by any Government agency/Department.
  - Purchase order of any government institute. / Undertaking on rupees 10 affidavit that the mentioned items have not been supplied by the vendor below the quoted rates to any institute or anybody

- j) Quotations qualified by such vague and indefinite expressions such as “subject to prior confirmation”, “subject to immediate acceptance” etc. will be treated as vague offers and it will be rejected accordingly. Any conditional quotation shall be rejected summarily.
- k) **Delivery Period**– within **20 days** from Purchase order.
- l) **Liquidated Damage**: - If the supplier fails to deliver the material on or before the stipulated date, then a penalty at the rate of 0.5 % per week of the total order value shall be levied subject to maximum of 10% of the total order value.
- m) **Payment Terms**: Payment will be only after satisfactorily delivery/ commissioning of material and after inspection by the AIIMS Deoghar.
- n) **Disputes**: -In the event of any dispute or disagreement arising between the contractors and any other department of AIIMS Deoghar with regards to the interpretation of “Terms & Conditions” of this inquiry, the same shall be referred to arbitrator appointed by The Executive Director, AIIMS, Deoghar, whose decision will be final and binding upon the contractor.
- o) AIIMS, Deoghar reserves the right to increase or decrease quantity. Decision of Quantity of items in the AIIMS, Deoghar will be final in this regard.
- p) AIIMS, Deoghar reserves the right to reject any quotation or part or the whole of inviting quotation process without assigning any reason. Decision of The Executive Director, AIIMS, Deoghar, will be final in this regard.
- q) The envelope containing quotation should be sealed with WAX/TAPE on both sides. The quotation received after due date will not be accepted.
- r) Procurement will be as per rule **GFR-155** of Government of India.

**Encl.:** Annexure 1 (Specification)

Annexure2 (Format of price bid)

Ref. No: AIIMS/Deo/IT/2024-25/60

Sl. No.	Name of items	Specifications	Required Quantity
1	<b>Camcorder</b> <b>(Video Camera)</b>	<p><b>Video Camera</b>  <b>Image Sensor-1.0-inch MOS Sensor, Effective Pixels -15.03 mega pixel,F Value-F2.8 – 4.5,Optical Zoom-20x,</b>  <b>Focal Length- 8.8 – 176 mm,35 mm Film Camera</b>  <b>Equivalent 24.5 – 490 mm,Filter Diameter- 67 mm,</b>  <b>Lens Brand -Panasonic Lens,</b>  <b>Minimum Illumination -0.6 lx (F2.8, Super Gain+, Shutter Speed 1/30 sec),Focus -Auto / Manual,Zoom-</b>  <b>i.Zoom OFF 20x,i.Zoom ON Max. 32x (UHD 24x),</b>  <b>Digital Zoom 2x / 5x / 10x,</b>  <b>ND Filter-Clear, 1/4, 1/16, 1/64,</b>  <b>IR Filter-Incorporates the ON/OFF control function,</b>  <b>White Balance-Auto / ATW LOCK / 3200K / 5600K / VAR</b>  <b>(2000K—15000K) / Ach Fixed / Bch Fixed,</b>  <b>Shutter Speed 59.94 Hz mode-</b>  <b>59.94i/59.94p: 1/60, 1/100, 1/120, 1/180, 1/250,</b>  <b>1/350, 1/500, 1/750, 1/1000,</b>  <b>1/1500,1/2000, 1/3000, 1/4000, 1/8000 sec</b>  <b>29.97p: 1/30, 1/50, 1/60, 1/100, 1/120, 1/180,</b>  <b>1/250, 1/350, 1/500, 1/750, 1/1000,</b>  <b>1/1500,1/2000, 1/3000, 1/4000, 1/8000 sec</b>  <b>23.98p: 1/24, 1/48, 1/50, 1/60, 1/100, 1/120,</b>  <b>1/180, 1/250, 1/350, 1/500, 1/750,</b>  <b>1/1000, 1/1500, 1/2000, 1/3000, 1/4000, 1/8000</b>  <b>Sec</b>  <b>50.00 Hz mode-</b>  <b>50i/50p: 1/50, 1/60, 1/100, 1/125, 1/180, 1/250,</b>  <b>1/350, 1/500, 1/750, 1/1000, 1/1500, 1/2000,</b>  <b>1/3000, 1/4000, 1/8000 sec</b>  <b>25p: 1/25, 1/50, 1/60, 1/100, 1/125, 1/180,</b>  <b>1/250, 1/350, 1/500, 1/750, 1/1000, 1/1500,</b>  <b>1/2000,1/3000, 1/4000, 1/8000 sec</b>  <b>Synchro Scan-59.94 Hz mode 59.94i/59.94p: 1/60.0 – 1/249.6</b>  <b>sec,29.97p: 1/30.0 – 1/249.8 sec</b>  <b>23.98p: 1/24.0 – 1/249.7 sec</b>  <b>50.00 Hz mode-50i/50p: 1/50.0 – 1/250.0 sec</b>  <b>25p: 1/25.0– 1/250.0 sec</b>  <b>VFR Recording Frame Rate- 59.94 Hz mode 59.94i/59.94p: 1/60.0 –</b>  <b>1/249.6</b>  <b>Sec 29.97p: 1/30.0 – 1/249.8 sec</b>  <b>23.98p: 1/24.0 – 1/249.7 sec</b>  <b>50.00 Hz mode- 2, 12, 21, 23, 25, 27, 30, 37, 50 fps</b></p> <p><b>Super Slow Recording Frame Rate-</b>  <b>59.94 Hz mode FHD 120 fps (1/2 speed at 60p, 1/4 speed at 30p, 1/5</b>  <b>speed at 24p)</b>  <b>50.00 Hz mode-FHD 100 fps (1/2 speed at 50p, 1/4 speed at 25p)</b>  <b>Iris-Auto / Manual</b>  <b>Image Stabilizer-Ball O.I.S., 5-Axis HYBRID O.I.S.+</b>  <b>(UHD/FHD),Recording Media-SDHC/SDXC Memory Card, UHS-I</b>  <b>compatible</b></p>	1 Nos.

		<p><b>Recording Format- MOV, MP4, AVCHD,</b></p> <p><b>Video Compression Method-MOV(HEVC)/MP4(HEVC): H.265/MPEG-4 HEVC</b></p> <p><b>Main10 Profile</b></p> <p><b>MOV, MP4: H.264/MPEG-4 AVC High Profile</b></p> <p><b>AVCHD: H.264/MPEG-4 AVC High Profile</b></p> <p><b>Audio Compression Method-</b></p> <p><b>MOV: LPCM, 48kHz/24bit, 2ch</b></p> <p><b>MP4: AAC, 48kHz/16bit, 2ch</b></p> <p><b>AVCHD: Dolby Audio, 48kHz/16bit, 2ch,</b></p> <p><b>2-slot Function-Relay recording, simultaneous recording, background recording</b></p> <p><b>System Frequency- 59.94Hz / 50.00Hz</b></p> <p><b>MOV (HEVC)- [4:2:0 10bit] UHD 3840x2160 59.94p/50.00p HEVC</b></p> <p><b>LongGOP 200M: Average 200Mbps (VBR) UHD 3840x2160 59.94p/50.00p HEVC LongGOP</b></p> <p><b>100M: Average 100Mbps (VBR)</b></p> <p><b>UHD 3840x2160 29.97p/25.00p/23.98p HEVC</b></p> <p><b>LongGOP 150M: Average 150Mbps (VBR),</b></p> <p><b>MOV-[4:2:0 8bit] UHD 3840x2160 59.94p/50.00p</b></p> <p><b>420LongGOP 150M: Average 150Mbps (VBR)</b></p> <p><b>UHD 3840x2160 29.97p/25.00p/23.98p 420</b></p> <p><b>LongGOP 100M: Average 100Mbps (VBR)</b></p> <p><b>[4:2:2 10bit] UHD 3840x2160</b></p> <p><b>29.97p/25.00p/23.98p 422 LongGOP 150M:</b></p> <p><b>Average 150Mbps (VBR)</b></p> <p><b>FHD 1920x1080 59.94p/50.00p ALL-I 200M:</b></p> <p><b>Average 200Mbps (VBR)</b></p> <p><b>FHD 1920x1080 59.94i/50.00i ALL-I 100M:</b></p> <p><b>Average 100Mbps (VBR)</b></p> <p><b>FHD 1920x1080 29.97p/25.00p/23.98p ALL-I</b></p> <p><b>100M: Average 100Mbps (VBR)</b></p> <p><b>FHD 1920x1080 59.94p/50.00p 422</b></p> <p><b>LongGOP100M: Average 100Mbps (VBR)</b></p> <p><b>FHD 1920x1080</b></p> <p><b>59.94i/50.00i/29.97p/25.00p/23.98p 422</b></p> <p><b>LongGOP 50M: Average 50Mbps (VBR)</b></p> <p><b>MP4 (HEVC)- [4:2:0 10bit] UHD 3840x2160 59.94p/50.00p HEVC</b></p> <p><b>LongGOP 100M: Average 100Mbps (VBR) UHD 3840x2160 29.97p/25.00p/23.98p HEVC</b></p> <p><b>LongGOP 72M: Average 72Mbps (VBR)</b></p> <p><b>MP4-[4:2:0 8bit] UHD 3840x2160</b></p> <p><b>29.97p/25.00p/23.98p 420 LongGOP 72M:</b></p> <p><b>Average 72Mbps (VBR)</b></p> <p><b>FHD 1920x1080 59.94p/50.00p/23.98p 420</b></p> <p><b>LongGOP 50M: Average 50Mbps (VBR)</b></p> <p><b>AVCHD-[4:2:0 8bit] PS 1920x1080 59.94p/50.00p:</b></p> <p><b>Average 25Mbps (VBR)</b></p> <p><b>PH 1920x1080 59.94i/50.00i/23.98p: Average</b></p> <p><b>21Mbps (VBR)</b></p> <p><b>Recording format- FHD 50Mbps_FHD 8Mbps</b></p> <p><b>Video Compression Format-</b></p> <p><b>H.264/MPEG-4 AVC Main Profile, High Profile</b></p> <p><b>Video Resolution-</b></p> <p><b>1920 x 1080 (FHD), 1280 x 720 (HD), 640 x 360,</b></p>	
--	--	---	--

		<p><b>320 x 180</b></p> <p><b>Streaming Method- Unicast, Multicast</b></p> <p><b>Frame Rate-System frequency = 59.94 Hz: 60 fps, 30 fps, 24 fps</b></p> <p><b>System frequency = 50.00 Hz: 50 fps, 25 fps</b></p> <p><b>Bit Rate-24 Mbps, 20 Mbps, 16 Mbps, 14 Mbps, 8 Mbps, 6Mbps, 4 Mbps, 3 Mbps, 2 Mbps, 1.5 Mbps, 1 Mbps, 0.7 Mbps, 0.5 Mbps</b></p> <p><b>Audio Compression Format- AAC-LC, 48 kHz/16 bit, 2ch</b></p> <p><b>Network Protocol -RTSP/RTP/RTMP/RTMPS</b></p> <p><b>Recording Format-JPEG (DCF/Exif2.2)</b></p> <p><b>Recording Image Size* -Video Playback Mode: 3840 x 2160 (16:9), 1920 x 1080 (16:9), 1280 x 720 (16:9)</b></p> <p><b>Power Supply -7.28V (Battery) / 12V (AC Adaptor)</b></p> <p><b>Power Consumption- 18.5W (LCD Monitor)</b></p> <p><b>Dimensions (W x H x D)-Approx. 171 x 195 x 343 mm (6.74 x 7.68 x 13.51 inch) (including lens hood, excluding eye cup and microphone holder)</b></p> <p><b>Weight-Approx. 2000g (4.41 lb) (main unit only (including grip belt), excluding lens hood, battery, and supplied accessories)</b></p> <p><b>Approx. 2430g (5.36 lb) (including lens hood, supplied battery, eye cup, two SD cards, microphone holder and INPUT terminal caps)</b></p> <p><b>LCD MONITER-3.5-inch Wide LCD monitor (About 2,760,000 dots)</b></p> <p><b>Viewfinder- 0.39-inch Wide OLED EVF (About 2,360,000 dots), video display area: About 1,770,000 dots</b></p> <p><b>Manual Ring-Focus / Zoom / Iris</b></p> <p><b>Accessory Shoe-Yes</b></p> <p><b>Video-SDI OUT</b></p> <p><b>HDMI-Type A x 1 (VIERA Link not supported), supports time code output and remote recording control</b></p> <p><b>Output format: 4:2:2 10bit</b></p> <p><b>2160/59.94p/50.00p/29.97p/25.00p/23.98p, 1080/59.94p/50.00p/29.97p/25.00p/23.98p/59.94i/50.00i, 720/59.94p/50.00p, 480/59.94p, 576/50.00p</b></p> <p><b>Audio Input -Built-in Microphone</b></p> <p><b>Stereo microphone-Built-in Microphone</b></p> <p><b>Audio Input-XLR (3 pins) x 2</b></p> <p><b>Input high impedance, LINE/MIC/MIC+48 V (switchable SW)</b></p> <p><b>LINE : +4dBu/0dBu (switchable menu)</b></p> <p><b>MIC: -40dBu/-50dBu/-60dBu (switchable menu)</b></p> <p><b>Audio Output -SDI OUT</b></p> <p><b>HDMI-2 ch (LPCM)</b></p> <p><b>Headphone-3.5 mm diameter stereo mini jack x 1</b></p> <p><b>Speaker-20 mm diameter, round x 1</b></p> <p><b>Camera Remote-2.5mm diameter super mini jack x 1</b></p> <p><b>USB-Type-C x 1, USB3.1 Gen 1, HOST/DEVICE (switchable menu)</b></p> <p><b>HOST: Bus power supported (5V, 0.9A), USB ethernet adaptor supported</b></p>	
--	--	--	--

		<p><b>DEVICE: mass storage function (read only)</b>  <b>DC IN-DC 12V (11.4V – 12.6V) EIAJ Type4</b>  <b>Standard -IEEE 802.11b/g/n</b>  <b>Frequency -2412 MHz to 2462 MHz [1 to 11ch]</b>  <b>AC Adaptor-Yes</b>  <b>AC Cable-Yes</b>  <b>Rechargeable Battery Pack-Yes (5,900mAH)</b>  <b>Battery Charger-Yes</b>  <b>Microphone Holder -Yes</b>  <b>Microphone Holder Screws-Yes</b>  <b>Input Terminal Cap-Yes</b>  <b>Eye Cup-Yes</b></p> <p><b>Lens Hood-Yes</b>  <b>Connectivity</b>  <b>Audio Input: XLR-type 3-pin (female) (x2), line/mic/mic</b>  <b>+48Vselectable,Video Output: Integrated into Multi/Micro USB</b>  <b>jack (x1) , Composite 1.0Vp-p, 75Ω</b>  <b>Audio Output: Integrated into Multi/Micro USB jack USB: Multi/Micro</b>  <b>USB jack (x1)</b>  <b>Headphone Output: Stereo mini jack (x1)</b>  <b>Speaker Output: Monaural</b>  <b>DC Input: DC jack</b>  <b>Remote: Integrated into Multi/Micro USB jack</b>  <b>Stereo mini-mini jack (Φ2.5mm)</b>  <b>HDMI Output: Type A (x1)</b>  <b>Built-in Microphone: Omni-directional stereo electret condenser</b>  <b>microphone, wifi</b>  <b>Warranty- 3 year</b>  <b>General</b>  <b>Mass: Approx. 1800 g / 3 lb 15 oz (body)</b>  <b>In Box- XLR handle unit (1),Lens hood (1),Lens cap (1),</b>  <b>Large eyecup (1),Accessory shoe kit (1),USB cable (1),</b></p> <p><b>Rechargeable battery pack (1),AC Adaptor(1),Power cord (mains lead)</b>  <b>(1), Wireless Remote Commander (1),</b>  <b>Lithium battery (for the Wireless Remote Commander) (1), Pre-</b>  <b>installed to the Wireless Remote Commander</b>  <b>Operating Guide (2),Manual Guide(1),Warranty card (1)</b></p>	
2	<b>Camcorder Battery</b>	<p><b>Rechargeable Video Camera Battery compatible for video camera</b>  <b>(Extra)</b>  <b>(Rechargeable Lithium-ion battery, power-highest mAh battery as per</b>  <b>compatible with camera, Warranty- 2 year)</b></p>	1 No.
3.	<b>Memory Card</b>	<p><b>Compatible SD Memory card for video camera (Storage Device Type -</b>  <b>Memory Card, Capacity-512GB, Compatible Device -Desktops   Cameras</b>  <b>  Laptops, Form Factor-SDXC Card, Read Speed- Up to 150Mbps,</b>  <b>Resistance Type-Water Proof   Shock Proof   X-ray Proof   Heat</b>  <b>Resistant, Warranty -2 year)</b></p>	2 Nos.
4.	<b>LED Light</b>	<p><b>LED Lamp Light for Videography</b>  <b>(Ideal for camera/camcorder video shooting</b>  <b>The LED head adopts a 360° horizontally rotatable design and is also</b>  <b>up and down adjustable</b>  <b>Luminance is adjustable by rotating the ON/OFF knob,</b>  <b>Color temperature: 5500-6000K (corresponds daylight)</b>  <b>luminance: 7100Lux (50cm), 1850Lux (10cm)</b>  <b>Color rendering index (CRI) :87.5,Light Source: 160 LEDs, Power: 10</b>  <b>Watt, Power supply :Rechargeable</b></p> <p><b>battery packs or 6 X AA batteries, Dimensions: 150 x 15x 54mm (5.9"</b>  <b>x4.5" x 2.1"),Weight approx. 250 gm)</b>  <b>In Box-LED-light ,Three colors of Diffusers, White, Blue &amp; Yellow,BP511</b>  <b>Battery Adapter ,Swivel/Tilting Ball Head, Hand Grip ,Warranty- 2</b>  <b>year)</b></p>	1 No.

5.	<b><i>Tripod Stand</i></b>	<b><i>Compatible Tripod Stand for videography. Tripod required of multiple section aluminum channel legs and features independent leg adjustments for extra wide stance and stability. It also required a geared Centre column design and features leg tip radial. Folded length: 675 mm, 3-way pan head pin, Bearing Load Capacity: 5-7 Kg, Max Height: 1700 mm, Weight: less than 1800 grams, Material: Aluminum, Leg Sections: 3 Leg, Lock Type: Vertical. Compatibility: Mini Cameras/ DSLR's/Mirrorless camera, Mobile Phones and Video cameras(camcorder). Warranty – 2 years.)</i></b>	1 No.
6.	<b><i>Gimbal Stand</i></b>	<b><i>Product Dimensions</i></b> <b><i>19.5 x 9.3 x 31.9 cm; Batteries-</i></b> <b><i>1 Lithium-Ion batteries required. (included)</i></b> <b><i>Compatible Devices-camera and video camera, Mounting Hardware-Gimbal, RS Mini Tripod, RS MINI QUICK- RELEASE PLATE, L-SHAPED MULTI-CAMERA CONTROL CABLE, USB-C CHARGING, SCREW KIT, Bluetooth Shutter Control, 3rd-Gen RS Stabilization Algorithm, Wide-Ranging Compatibility, Native Vertical Shooting,</i></b> <b><i>Batteries Included-Yes</i></b> <b><i>Batteries Required-Yes</i></b> <b><i>Battery cell composition-Lithium Ion</i></b> <b><i>Includes Rechargeable Battery-Yes</i></b> <b><i>Approx. Item Weight-1 kg</i></b>	1 No.



Reference no: AIIMS/Deo/IT/2024-25/60

Date:

**[Letter head of firm]**

PRICEBID FORM

To,  
LPC Chairperson,  
AIIMS, Deoghar.  
Jharkhand

Dear Sir,

I/We.....am/are submitting the quotation for  
Reference "QUOTATION FOR **VIDEO RECORDER CAMERA** AT AIIMS DEOGHAR FOR REFERENCE  
NO.: AIIMS/Deo/IT/2024-25/60 DUE ON **03/07/2025** at 05.00PM" For AIIMS Deoghar.

1. I/We have thoroughly examined, understood and accepted terms & conditions given in the enquiry document, failing which my quotation will be rejected out rightly.
2. I/We hereby offer to supply at the following rates:

S. no.	Name of Item with specification	Unit Price	GST %	Unit price with GST	Total Qty	Total cost
1						
2						
		Total cost/ amount				
Total cost/amount (in words)						

Note: -

- The bidder must quote their quotation only in above said format on the letter of firm otherwise quotation will be REJECTED.
- Catalog must be attached with quotation for technical evaluation.

Date:

(Name):

Place:

Name of Firm/Company/Agency:

GSTIN No.:

Phone No:

Email:

(Signature of Authorized Person) \_\_\_\_\_

Seal: \_\_\_\_\_